

PROUDLY BUILT IN THE USA

# FACTORY CAT

FULL LINE



**Want Proof?  
Call for Free Demo  
800-634-4060**




**Factory Cat** builds sweepers and scrubbers, in both walk behind and rider models, from 17" up to nearly 50" wide. Our products fit a niche we pretty much invented; *Industrial Machines* that are compact, yet built to survive in the harshest applications. In our designs we take extra pains to remove non-essential parts, so our machines do a superior job of cleaning, and are built to reduce maintenance.

When maintenance is required, we guarantee prompt parts delivery and have over 350 authorized and trained equipment distributors in the USA, with additional

distributors in another 36 countries. Quick parts delivery is easy since all **Factory Cat** machines are manufactured by us, with components sourced from American companies, instead of imported from overseas like many companies in our field.

We've invested heavily in technology and utilize the most efficient fabrication tools to contain costs and meet our quality expectations. As a family owned business, we take pride in earning our customers' repeat business by helping them achieve their cleaning needs.

#### Cutting Edge CADD



**Reduces R&D Costs**

#### Powerful Lasers



**Handle Thick Steel**

#### Robotic Welders



**Consistent & Safe**

#### Powder Paint



**Superior Finish**

#### Quality Assemblers



**Hand Build  
Your Machine**

## Sweepers

### Model 34

The all-steel Model 34 is built to pick up wood chips, metal pieces, broken glass, sand and dust in a single pass. The Model 34 is equipped with an on-board charger, is self-propelled and can run up to 5 hours on a charge. Our floating broom suspension automatically adjusts to floors while the filtered air system allows it to operate through an 80-pound bag of cement without blowing dust.



<b>Sweep Path:</b>	34" (86 cm)
<b>Main Broom:</b>	26" x 10" (66 x 25 cm)
<b>Side Broom:</b>	17" (43 cm)
<b>Hopper Capacity:</b>	2 ft <sup>3</sup> (56 liters)
<b>Dimensions (L"/W"/H"):</b>	58"/31"/38" (147/79/96 cm)
<b>Construction Material:</b>	Steel
<b>Filter Type:</b>	Baghouse (1 micron)
<b>Filter Size:</b>	5,182 in <sup>2</sup> (3,343 m <sup>2</sup> )
<b>Run Time:</b>	Up to 4 hrs
<b>Coverage:</b>	30,000 ft <sup>2</sup> /hr. (2,800 m <sup>2</sup> /hr.)

### Model TR Rider Sweeper

The most capable compact "industrial" riders available. Our powerful main broom propels the dirt, nails, broken glass and other litter into a steel hopper while filtering high volumes of air at a lower velocity. The Model TR has a powerful motor with sealed gears for climbing steep ramps. The battery runs up to 7 hours on a charge with an on-board automatic charger that plugs into any 110 volt outlet.




<b>Sweep Path:</b>	46" (117 cm)
<b>Main Broom:</b>	32" x 10" (81 x 25 cm)
<b>Side Broom:</b>	(2) 17" [(2) 43 cm]
<b>Hopper Capacity:</b>	4.1 ft <sup>3</sup> (116 liters)
<b>Dimensions (L"/W"/H"):</b>	64"/37"/55" (163/94/140 cm)
<b>Frame Material:</b>	Steel
<b>Filter Type:</b>	Baghouse (1 micron)
<b>Filtration Level:</b>	1 micron
<b>Run Time:</b>	Up to 7 hrs (420 ah option)
<b>Coverage:</b>	Up to 60,000 ft <sup>2</sup> /hr. (5,600 m <sup>2</sup> /hr.)



# Walk Behind Scrubbers

## MicroMAG Series


This 17" or 20" disk scrubber is available in both pad assist or traction versions. With its compact steel construction, the automatic scrubber can navigate congested machine shops and survive the occasional collision. Popular with truck repair stations, cold storage facilities and anywhere customers are looking for the toughest compact scrubber. Large battery and tanks allow the operator to spend more time cleaning and less time returning to drain/refill the tanks or recharging batteries.



<b>Disk Scrub Path:</b>	17", 20" (43, 51 cm)
<b>Dimensions (L"/W"/H"):</b>	38"/20"/36" (95/50/90 cm)
<b>Solution Tank:</b>	10 gallons (37.5 liters)
<b>Recovery Tank:</b>	10 gallons (37.5 liters)
<b>Run Time:</b>	Up to 2.5 hrs (130 ah battery option)
<b>Coverage:</b>	Up to 18,745 ft <sup>2</sup> /hr.
<b>Scrub Power:</b>	Up to 1.0 hp / 200 rpm (750 watts)
<b>Vacuum Power:</b>	0.75 hp (620 watts)
<b>Traction Power:</b>	0.5 hp (375 watts) on drive units only

## MINIMAG Series


This series of scrubbers are designed and built to clean machine shops, auto service centers and warehousing. It is available with sizes between 17" and 28" configurations. The large tanks and batteries provide increased productivity, while retaining a competitive price and small package.



<b>Disk Scrub Path:</b>	17", 20", 23", 26", 28" (43, 51, 58, 66, 71 cm)
<b>Cylindrical:</b>	24" (61 cm)
<b>Solution Tank:</b>	17 gallons (64 liters)
<b>Recovery Tank:</b>	17 gallons (64 liters)
<b>Run Time:</b>	Up to 3.5 hrs (225 ah battery option)
<b>Coverage:</b>	Up to 25,543 ft <sup>2</sup> /hr. (2,375 m <sup>2</sup> /hr.)
<b>Scrub Power:</b>	Up to 1.5 hp (1,118 watts)
<b>Traction Power:</b>	0.5 hp (375 watts)

## MAGNUM Series

The **MAGNUM** offers large batteries for superior run time, and can deliver 50% more cleaning power than other machines. The "Cylindrical" machines sweep up debris while scrubbing, increasing your productivity. Motors and tires are oversized for superior cleaning. The transaxle, casters, scrub deck, squeegee linkage and battery package all index directly to a 1/4" steel frame secured with stainless fasteners.



<b>Disk Scrub Path:</b>	26", 30", 34" (66, 76, 86 cm)
<b>Cylindrical:</b>	24", 27", 30", 34" (61, 69, 76, 86 cm)
<b>Solution Tank:</b>	30 gallons (114 liters)
<b>Recovery Tank:</b>	30 gallons (114 liters)
<b>Run Time:</b>	Up to 5 hrs (420 ah battery option)
<b>Coverage:</b>	33,000 ft <sup>2</sup> /hr. (3,070 m <sup>2</sup> /hr.)
<b>Scrub Power:</b>	Up to 2.0 hp (1,491 watts)
<b>Traction Power:</b>	0.75 hp (559 watts)



# Rider Scrubbers

## GTX Rider Scrubbers

These compact rider scrubbers combine the strength and productivity of a rider, with the pricing and maneuverability of a walk behind. They are available in both "disk" and "cylindrical" configurations and come in a variety of cleaning widths. Equipped with 35 gallon tanks, large batteries and a cleaning path up to 34", these machines pack a real punch. Compare our frame with any competitor, and see why experienced customers select our machines.



<b>Disk Scrub Path:</b>	26", 30", 34" (66, 76, 86 cm)
<b>Cylindrical:</b>	24", 27", 30", 34" (61, 69, 76, 86 cm)
<b>Dimensions (L"/W"/H"):</b>	54"/25"/55" (137/63/140 cm)
<b>Solution Tank:</b>	35 gallons (132 liters)
<b>Recovery Tank:</b>	35 gallons (132 liters)
<b>Run Time:</b>	Up to 7 hrs (325 ah batt. opt.)
<b>Coverage:</b>	33,500 ft <sup>2</sup> /hr. (3,116 m <sup>2</sup> /hr.)
<b>Scrub Power:</b>	1.5 to 2.0 hp (1,491 watts)
<b>Vacuum Power:</b>	1.0 hp (746 watts)
<b>Traction Power:</b>	1.0 hp (746 watts)

## XR Rider Scrubbers

These rugged and high performance scrubbers offer the productivity of the industry's largest equipment, but in a more maneuverable and cost effective package. With disk and cylindrical decks up to 46", and optional 85 gallon tanks, these XRs have the capacity to clean many large facilities. The dual side brooms and onboard soap are popular options on the XR.





<b>Disk Scrub Path:</b>	34", 40", 45" (86, 102, 116 cm)
<b>Cylindrical:</b>	34", 40", 46" (86, 102, 117 cm)
<b>Dimensions (L"/W"/H"):</b>	69"/36"/56" (175/91/142 cm)
<b>Solution Tank:</b>	68 gallons (257 liters)
<b>Recovery Tank:</b>	68 gallons (257 liters)
<b>Run Time:</b>	Up to 6 hrs (450 ah batt. opt.)
<b>Coverage:</b>	50,000 ft <sup>2</sup> /hr. (4,650 m <sup>2</sup> /hr.)
<b>Scrub Power:</b>	2.0 to 3.0 hp (1,491 watts)
<b>Vacuum Power:</b>	1.5 hp (1,118 watts)
<b>Traction Power:</b>	2.0 hp (1,491 watts)



Tip Back Tanks

## Factory Cat Scrubbers Feature

- Stainless Fasteners
- Oversized Motors
- Heavy Gauge Steel Frame
- Thick Tanks
- Superior Cleaning
- Onboard Soap



**Manufactured By:**  
**RPS Corporation**  
**P.O. Box 368 • Racine, WI 53401**  
**Phone: (800) 634-4060**  
**Fax: (866) 901-3335**  
**www.factorycat.com**

## AUTHORIZED DISTRIBUTOR

